

## Piatto Ottone OT 58 UNI 5705-65



## Brass flat bar

CU 58% - ZN 40% - PB 2%

Dimensioni mm Dimensions mm	Peso Kg/m Weight Kgs/m	Dimensioni mm Dimensions mm	Peso Kg/m Weight Kgs/m	Dimensioni mm Dimensions mm	Peso Kg/m Weight Kgs/m
1 x 4 S.A.	0,034	3 x 15	0,382	5 x 8	0,340
1,5 x 8 SC	0,101	3 x 18	0,459	5 x 9	0,382
1,5 x 15	0,191	3 x 20	0,510	5 x 10	0,425
2 x 4	0,068	3 x 20 L.P.	0,510	5 x 10 S.A.	0,425
2 x 4 S.A.	0,068	3 x 22	0,561	5 x 12	0,510
2 x 5	0,085	3 x 25	0,637	5 x 15	0,637
2 x 5 S.A.	0,085	3 x 30	0,765	5 x 16	0,680
2 x 6	0,102	3 x 35	0,893	5 x 18	0,765
2 x 6 S.A.	0,102	3 x 40	1,020	5 x 20	0,850
2 x 8	0,136	3 x 45	1,148	5 x 20 L.P.	0,850
2 x 8 S.A.	0,136	3 x 50	1,275	5 x 22	0,935
2 x 10	0,170	3 x 55	1,403	5 x 25	1,062
2 x 12	0,204	3 x 60	1,530	5 x 30	1,275
2 x 15	0,255	3 x 65	1,657	5 x 30 L.P.	1,275
2 x 18	0,306	3 x 70	1,785	5 x 35	1,488
2 x 20	0,340	3 x 80	2,040	5 x 40	1,700
2 x 22	0,374	3 x 90	2,295	5 x 45	1,913
2 x 25	0,424	3 x 100	2,550	5 x 50	2,125
2 x 30	0,510	4 x 5	0,170	5 x 55	2,338
2 x 35	0,595	4 x 6	0,200	5 x 60	2,550
2 x 40	0,680	4 x 8	0,272	5 x 70	2,975
2 x 45	0,765	4 x 10	0,340	5 x 80	3,400
2 x 50	0,850	4 x 12	0,408	5 x 90	3,825
2 x 55	0,935	4 x 15	0,510	5 x 100	4,250
2 x 60	1,020	4 x 18	0,618	5 x 120	5,100
2 x 70	1,190	4 x 20	0,680	6 x 8	0,408
2 x 80	1,360	4 x 22	0,748	6 x 10	0,510
2 x 90	1,530	4 x 25	0,851	6 x 12	0,612
2 x 100	1,700	4 x 30	1,020	6 x 15	0,765
2,5 x 8	0,170	4 x 35	1,190	6 x 18	0,918
2,5 x 10	0,213	4 x 40	1,360	6 x 20	1,020
2,5 x 15	0,319	4 x 45	1,530	6 x 22	1,122
2,5 x 20	0,425	4 x 50	1,700	6 x 25	1,275
2,5 x 25	0,531	4 x 55	1,870	6 x 30	1,530
2,5 x 30	0,638	4 x 60	2,040	6 x 30 L.P.	1,530
2,5 x 40	0,850	4 x 70	2,380	6 x 35	1,785
2,5 x 50	1,063	4 x 75	2,553	6 x 40	2,040
3 x 5	0,127	4 x 80	2,720	6 x 45	2,295
3 x 6	0,153	4 x 90	3,060	6 x 50	2,550
3 x 8	0,204	4 x 100	3,400	6 x 55	2,805
3 x 10	0,255	5 x 6	0,255	6 x 60	3,060
3 x 12	0,306	5 x 7	0,297	6 x 65	3,315

Richiedeteci offerta per le misure non inserite a catalogo

Require offer for dimensions not on this catalogue

## Piatto Ottone OT 58 UNI 5705-65



## Brass flat bar

CU 58% - ZN 40% - PB 2%

Dimensioni mm Dimensions mm	Peso Kg/m Weight Kgs/m	Dimensioni mm Dimensions mm	Peso Kg/m Weight Kgs/m	Dimensioni mm Dimensions mm	Peso Kg/m Weight Kgs/m
6 x 70	3,570	10 x 20	1,700	15 x 90	11,475
6 x 80	4,080	10 x 20 S.A.	1,700	15 x 100	12,750
6 x 90	4,590	10 x 22	1,869	15 x 120	15,300
6 x 100	5,100	10 x 25	2,125	15 x 150	19,130
6 x 120	6,120	10 x 30	2,550	20 x 25	4,250
7 x 10	0,595	10 x 35	2,975	20 x 30	5,100
7 x 12	0,714	10 x 40	3,400	20 x 35	5,950
7 x 15	0,873	10 x 45	3,825	20 x 40	6,800
7 x 20	1,190	10 x 50	4,250	20 x 45	7,650
7 x 22	1,309	10 x 55	4,675	20 x 50	8,500
7 x 25	1,488	10 x 60	5,100	20 x 55	9,350
7 x 30	1,785	10 x 70	5,950	20 x 60	10,200
7 x 35	2,083	10 x 80	6,800	20 x 70	11,900
7 x 40	2,380	10 x 90	7,650	20 x 80	13,600
7 x 45	2,678	10 x 100	8,500	20 x 90	15,300
7 x 50	2,975	10 x 120	10,200	20 x 100	17,000
7 x 60	3,570	10 x 150	12,750	20 x 120	20,400
7 x 70	4,165	12 x 15	1,530	20 x 150	25,500
7 x 80	4,760	12 x 16	1,632	25 x 30	6,370
7 x 90	5,355	12 x 20	2,040	25 x 35	7,440
7 x 100	5,950	12 x 25	2,550	25 x 40	8,500
8 x 10	0,681	12 x 30	3,060	25 x 45	9,560
8 x 10 S.A.	0,681	12 x 35	3,570	25 x 50	10,600
8 x 12	0,816	12 x 40	4,080	25 x 60	12,500
8 x 15	1,020	12 x 45	4,600	25 x 65	13,560
8 x 20	1,360	12 x 50	5,100	25 x 70	14,875
8 x 25	1,700	12 x 60	6,120	25 x 80	16,500
8 x 30	2,040	12 x 70	7,140	25 x 100	21,200
8 x 35	2,380	12 x 80	8,160	25 x 120	25,450
8 x 40	2,720	12 x 100	10,200	25 x 150	31,880
8 x 40 S.A.	2,720	12 x 120	12,240	30 x 40	10,200
8 x 45	3,060	12 x 150	15,300	30 x 50	12,700
8 x 50	3,400	15 x 20	2,550	30 x 60	15,300
8 x 60	4,080	15 x 25	3,187	30 x 70	17,850
8 x 65	4,420	15 x 30	3,825	30 x 80	20,400
8 x 70	4,760	15 x 35	4,462	30 x 90	22,950
8 x 80	5,440	15 x 40	5,100	30 x 100	25,500
8 x 90	6,120	15 x 45	5,737	30 x 120	30,600
8 x 100	6,800	15 x 50	6,375	30 x 150	38,250
8 x 120	8,160	15 x 60	7,650	35 x 40	11,900
10 x 12	1,020	15 x 70	8,925	35 x 45	13,386
10 x 15	1,275	15 x 80	10,200	35 x 50	14,874

Richiedeteci offerta per le misure non inserite a catalogo

Require offer for dimensions not on this catalogue

**Piatto Ottone OT 58 UNI 5705-65**



**Brass flat bar**

**CU 58% - ZN 40% - PB 2%**

<b>Dimensioni mm</b> <b>Dimensions mm</b>	<b>Peso Kg/m</b> <b>Weight Kgs/m</b>	<b>Dimensioni mm</b> <b>Dimensions mm</b>	<b>Peso Kg/m</b> <b>Weight Kgs/m</b>	<b>Dimensioni mm</b> <b>Dimensions mm</b>	<b>Peso Kg/m</b> <b>Weight Kgs/m</b>
35 x 70	20,825	40 x 90	30,600	50 x 80	34,000
40 x 50	17,000	40 x 100	34,000	50 x 100	42,500
40 x 60	20,400	40 x 120	39,900	50 x 150	63,750
40 x 70	25,500	50 x 60	25,500		
40 x 80	27,200	50 x 70	29,750		

Richiedeteci offerta per le misure non inserite a catalogo

Require offer for dimensions not on this catalogue

**LEGGENDA:**

S.A. = SPIGOLI ARROTONDATI

L.P. = LEGA PIEGHEVOLE

SC = SEMICRUDO

**LEGEND:**

S.A. = WHOLE RADIUS

L.P. = PLEATING ALLOY

SC = HALF-HARD